



# S P E C S

## XSCACE

Proprietary Tech



Nano  
Resonance



PrecisionXover  
Array



AeroFrame  
Chassis



PowerDense  
Dynamics

# XSCACE

## SAGE

Contact: [support@xscace.com](mailto:support@xscace.com)

\*All measurements made at Canadian Audio Labs  
Facility

Updated February 2024

# SAGE

## DIMENSIONS




DRIVER: 2 X 8" GRAPHITE CONE, RUBBER SURROUND | 1 X 1" TITANIUM SOFT DOME

TOTAL MASS: 4.43 KGS

HOUSING MATERIAL: ABS

# SAGE

## SENSITIVITY



## FREQUENCY RESPONSE



IMPEDANCE: 8 OHMS

\*Measurement made on **DATS v3**

POWER RMS: 225 W


POWER MAX: 275 W

# SAGE

## DIRECTIVITY & COVERAGE



0 - 180 DEGREES



# SAGE

## SPEAKER THROW



## USING INVERSE SQUARE LAW

$$\text{SPL}(\text{UNKNOWN DIST}) = \text{SPL}(\text{KNOWN DIST}) - 20 \cdot \text{LOG}_{10}(\text{UNKNOWN DIST} / \text{KNOWN DIST})$$

